



Lamps & Lights



Gebr. J. & C. Schneider, Spezialfabrik für Beleuchtung. **Hamm (Westf.)**


Telegrammadresse: Gebrüder Schneider Hammwestfalen — Fernsprecher 1063

Außen-Armaturen Breit- und Tiefstrahler Reflektoren

für elektrische Beleuchtung




Ausgabe
1926



8000 X. 26

Liste Nr. 1



Gebrüder Schneider. GICS: Famous Lamps. Truly enameled and "clear as glass".

This popular type of lamp can be found all over the world. The lamp shades were originally enameled, which means they were coated with colored porcelain glaze on the outside and snow white glaze on the inside. The inner coating improved the lamp's reflective properties, while the outer coating ensured unfading color and made the lamp shades – which were often intended for outside use – completely weather-proof for decades. Almost all manufacturers have now substituted the process of enameling these types of lamps with the significantly more cost-effective process of powder coating. The lamps of this series were originally manufactured by "Gebr. J. & C. Schneider Leuchtenfabrik und Emailierwerk" in Germany – a metal and enameling workshop manufacturing streetlamps since 1876, which started manufacturing this series of lamps under the brand name of GICS at the beginning of the 20th century. Now they are manufacturing this series again at our suggestion and in cooperation with us.

The lamp's reflectors and domes are made from sheet steel enameled in white on the inside and in color on the outside.



- Suspended lamps are equipped as follows:
- porcelain socket E 27 (max. 100 W),
 - black varnished metal canopy with strain relief and ceiling suspension bracket,
 - 1.5 m black and white textile cable.

METAL CANOPY

The canopy can be ordered separately. Black or white sheet steel. Height 5.5 cm, Ø 6 cm, weight 60 g.

- Black**
- White**

- Order no. **100085**
- Order no. **100086**

Please note the following important additional information about GICS lights: Besides the standard lights with porcelain E27 sockets, various designs are available for compact fluorescent lamps, high-pressure lamps, halogen lamps and LEDs with either horizon-

tally or vertically positioned lights and with one or more lamps. Please contact us if the lights need to meet special requirements, i.e. for use in public areas. All lights conform to IP 23 and are suitable for outside use. They are grounded and the area

where the cable enters the light is protected. In addition, the enamel finish protects the surface from weather wear and tear. The lamps are also available in different colours for an additional charge with an order of 50 or more.



NARROW ANGLE SPOTLIGHT ROUND WHITE

35 cm Ø. Height 28 cm. Weight 1.6 kg.

Cast metal suspension bracket.

Order no. **100059**



NARROW ANGLE SPOTLIGHT ROUND BLUE-GRAY

35 cm Ø. Height 28 cm. Weight 1.6 kg.

Cast metal suspension bracket.

Order no. **100060**



NARROW ANGLE SPOTLIGHT BLACK

35 cm Ø. Height 28 cm. Weight 1.6 kg. Cast

metal suspension bracket. Order no. **100058**



NARROW ANGLE SPOTLIGHT ROUND WHITE

25 cm Ø. Height 24 cm. Weight 0.7 kg.

Order no. **100056**



NARROW ANGLE SPOTLIGHT ROUND BLACK

25 cm Ø. Height 24 cm. Weight 0.7 kg.

Order no. **100055**



NARROW ANGLE SPOTLIGHT ROUND BLUE-GRAY

25 cm Ø. Height 24 cm. Weight 0.7 kg.

Order no. **100057**



NARROW ANGLE SPOTLIGHT ROUND BLACK
17 cm Ø. Height 18 cm. Weight 0.6 kg.
Order no. 100049



NARROW ANGLE SPOTLIGHT ROUND WHITE
17 cm Ø. Height 18 cm. Weight 0.6 kg.
Order no. 100050



**NARROW ANGLE SPOTLIGHT ROUND
BLUE-GRAY**
17 cm Ø. Height 18 cm. Weight 0.6 kg.
Order no. 100360



NARROW ANGLE SPOTLIGHT 250 BLACK
25 cm Ø. Height 10 cm. Weight 0.6 kg.
Order no. 100361



NARROW ANGLE SPOTLIGHT 250 WHITE
25 cm Ø. Height 10 cm. Weight 0.6 kg.
Order no. 100362



NARROW ANGLE SPOTLIGHT 250 BLUE-GRAY
25 cm Ø. Height 10 cm. Weight 0.6 kg.
Order no. 100363



SPREAD BEAM LAMP SPOTLIGHT 350 BLACK
35 cm Ø. Height 23 cm. Weight 1.4 kg.
Order no. 100041



SPREAD BEAM LAMP SPOTLIGHT 400 WHITE
40 cm Ø. Height 33 cm. Weight 1.6 kg. Metal link chain 1.5 m.
Order no. 100045



SPREAD BEAM LAMP SPOTLIGHT 300 BLUE-GRAY
30 cm Ø. Height 20 cm. Weight 1 kg.
Order no. 100040



SPREAD BEAM LAMP SPOTLIGHT 350 WHITE
35 cm Ø. Height 23 cm. Weight 1.4 kg.
Order no. 100042



SPREAD BEAM LAMP SPOTLIGHT 400 BLACK
40 cm Ø. Height 33 cm. Weight 1.6 kg. Metal link chain 1.5 m.
Order no. 100044



SPREAD BEAM LAMP SPOTLIGHT 300 BLACK
30 cm Ø. Height 20 cm. Weight 1 kg.
Order no. 100038



SPREAD BEAM LAMP SPOTLIGHT 350 BLUE-GRAY
35 cm Ø. Height 23 cm. Weight 1.4 kg.
Order no. 100043



SPREAD BEAM LAMP SPOTLIGHT 400 BLUE-GRAY
40 cm Ø. Height 33 cm. Weight 1.6 kg. Metal link chain 1.5 m.
Order no. 100046



SPREAD BEAM LAMP SPOTLIGHT 300 WHITE
30 cm Ø. Height 20 cm. Weight 1 kg.
Order no. 100039

Workshop and machine lamps.

Now for home use.

This type of lamp is normally used for workstation lighting at machines and in workshops. The finish is usually correspondingly rough. For use in the basement or garage, we offer a workshop lamp painted in the classic pigeon blue machine colour; for use in the home, we have a lamp with a choice of black or white body and reflector. The latter is available in two sizes as a wall lamp for a thousand and one applications. All models are made of painted steel and equipped with adjustable reflectors. E 27 porcelain socket (max. 60 W). Screws for wall installation are included, but dowels are not.

STEEL WALL LAMP LARGE BLACK

Reflector 15.5 cm Ø, length 19.5 cm, depth 28.5 cm. Weight 470 g. Order no. 182551



STEEL WALL LAMP LARGE WHITE

Reflector 15.5 cm Ø, length 19.5 cm, depth 28.5 cm. Weight 470 g. Order no. 182550

STEEL WALL LAMP LARGE PIGEON BLUE

Reflector 15.5 cm Ø, length 19.5 cm, depth 28.5 cm. Weight 470 g. Order no. 182552



STEEL WALL LAMP SMALL BLACK

Reflector 10 cm Ø, length 11.5 cm, depth 19 cm. Weight 370 g. Order no. 182554

STEEL WALL LAMP SMALL WHITE

Reflector 10 cm Ø, length 11.5 cm, depth 19 cm. Weight 370 g.

Order no. 182553



Lights from Udine.

Udine, one of the old Venetian provinces, has a wealth of chalk, marble, clay, cement, lime,

soapstone and kaolin, making it one of the most important sites of the ceramic industry in Europe. An old workshop produces these lights

in addition to a multitude of other artistic and practical objects. These lights are intended for indoor use.



ENAMEL/CERAMIC WALL LAMPS

Sheet steel shade, black exterior, white enamel interior, 24 cm Ø. Ceramic wall rosette and enamel arm. Projection 30 cm, Height 11.5 cm. Weight 740 g. Metal socket E 27 (max. 75 W) with ceramic counter ring. Order no. **119050**



CERAMIC CEILING LIGHTS

Natural white ceramic shade 42 cm Ø, ceramic ceiling rosette with a solid brass shade holder.



The shade is held by three knurled-head screws. Height 10.5 cm. Weight 1.94 kg. Metal socket E 27 (max. 60 W). Order no. **119048**



ENAMEL/CERAMIC CEILING LIGHTS

Sheet steel shade, black exterior, white enamel interior, 29.5 cm Ø. Height 10.5 cm. Ceramic ceiling rosette 11.5 cm Ø. Weight 680 g Metal socket E 27 (max. 75 W) with ceramic counter ring. Order no. **119049**

WALL LAMP FROM VENETO

This lamp was first designed 80 years ago. It is particularly popular amongst the rural population of the Veneto region where it is frequently used to illuminate bathroom mirrors. Socket, reflector and clamping ring are ceramic. Reflector 21 cm Ø; projection 18.5 cm. The thread fitting is made of sheet steel. Oval bracket. Weight 800 g. E 27 fitting (max. 100 W). Order no. **152267**






**Simple elegance:
Italian ceramic lamps**

These modestly shaped ceramic lamps from Italy have a simple and straight forward design. They can be used in a range of settings like living rooms, halls and on staircases and provide pleasant, glare-free and indirect lighting.



The light port can be located above, below or to the side depending on the model providing the right solution for your needs.




WALL LAMP RECTANGULAR

These lights are available in three different sizes:

SMALL

Height 5 x width 22 x depth 10 cm.
Weight 660 g. Socket R7s (max. 200 W).

Order no. **182413**



MEDIUM

Height 5 x width 35 x depth 10 cm.
Weight 1 kg. Socket R7s (max. 200 W).


Order no. **182414**



LARGE

Height 5 x width 50.5 x depth 10 cm.
Weight 1.4 kg. Socket R7s (max. 200 W).

Order no. **182415**



WALL LAMP RECTANGULAR WITH LIGHT SLIT

Height 6 x width 15 x depth 18 cm.
Weight 700 g. Socket G9 (max. 75 W).

Order no. **182417**



WALL LAMP SQUARE

Height 21 x width 21 x depth 6.5 cm.
Weight 1.1 kg. Socket R7s (max. 100 W).

Order no. **182416**



WALL LAMP RECTANGULAR VERTICAL

Height 20.5 x width 7 x dept 7 cm.
Weight 460 g. 2 sockets G9 (max. 2 x 60 W).

Order no. **182418**

**WALL LAMP HALF SHELL
WITH GLASS BOTTOM**


Height 9 x width 24.5 x depth 12 cm.
Weight 700 g. Socket E27 (max. 75 W).

Order no. **182419**

WALL LAMP HALF SHELL

Height 15 x width 30.5 x depth 15 cm.
Weight 1 kg. Socket E27 (max. 75 W).

Order no. **182420**





Porcelain ceiling mounting

With metal suspension bracket. Metal socket, E27. IP 20. Height 9 cm, 5 cm Ø. Weight 180 g. Light bulb and cable not included. Order no. 100087



Simple pedestal lights made of porcelain and thermosetting plastic. Metal socket, E 27 (porcelain lights max. 100 W, thermosetting plastic lights max. 75 W). IP 20. Light bulbs are not included.



PORCELAIN WALL MOUNTING

(Left picture) Three-piece. Tapered form. The holes for the dowles or screws are drilled at a slant. Depth 8.5 cm, 7.5 cm Ø. Weight 220 g.

Order no. 152647



PORCELAIN CEILING MOUNTING

(Above picture) Three-piece. Height 6 cm, max. 7.5 cm Ø. Weight 200 g. Order no. 152643



THERMOSETTING PLASTIC WALL MOUNTING

Three-piece. Tapered form. The holes for the dowles or screws are drilled at a slant. Depth 8.5 cm, max. 7.5 cm Ø. Weight 70 g. Order no. 153108



THERMOSETTING PLASTIC CEILING SOCKET

Three-piece. Height 6 cm, max 7.5 cm Ø. Weight 65 g. Order no. 153109



PORCELAIN ANGLE MOUNTING

Designed at the beginning of the 1930's. Three-piece. Depth 7.5 cm. Width 6.5 cm, Height 8 cm. Weight 250 g. Order no. 152645



**These ones are here to stay:
sockets for use on construction sites.**

Up until now, these have been mostly used as on/off lights for construction sites. Now, fitted with porcelain, Bakelite and textile cable instead of plastic and Litz wire, they may be used to illuminate high-ceilinged rooms, lobbies, hallways and offices. We launch this product just in time for the phasing out of conventional bulbs under current legislation. All three models are high-quality sockets: superior lamps made from outstanding, durable materials, in contrast to the plastic lamps intended only for temporary use. We aim at offering powerful lamps in clean and simple design

at reasonable prices. Each light is provided with a 1.5 m textile cable and black or white glazed porcelain canopy 9.5 cm Ø. IP 20. Bulbs not included. Made in Germany

(from left to right)

**BAKELITE SOCKET FOR USE ON
CONSTRUCTION SITES**

Black Bakelite E27 socket. Weight 200 g. With strain relief. Order no. **100636**

**PORCELAIN SOCKET FOR USE ON
CONSTRUCTION SITES**

White porcelain E27 socket. Weight 300 g. With strain relief. Order no. **100446**

**BAKELITE SOCKET WITH PULL SWITCH FOR
USE ON CONSTRUCTION SITES**

Black Bakelite E27 socket with pull cord. With strain relief made of chrome-plated brass.

Order no. **100637**

**BAKELITE SOCKET FOR USE ON
CONSTRUCTION SITES WITH RED CABLE**

Black Bakelite E27 socket. Weight 200 g. With strain relief. Order no. **100813**

**BAKELITE SOCKET WITH PULL SWITCH FOR USE
ON CONSTRUCTION SITES WITH RED CABLE**

Black Bakelite E27 socket with pull cord. With strain relief made of chrome-plated brass.

Order no. **100812**



**Porcelain and brass:
Canopies and cord grips.**

White or black glazed porcelain canopy with brass cord grip. Height canopy 5 cm, 9.5 cm Ø. Length cord grip 9 cm. Total weight 150 g. Made in Germany.

**PORCELAIN CANOPY WHITE, CORD GRIP
POLISHED BRASS**

Porcelain, polished brass Order no. 100076



**PORCELAIN CANOPY WHITE, CORD GRIP
CHROMED BRASS**

Porcelain, chromed brass Order no. 100077



**PORCELAIN CANOPY WHITE, CORD GRIP
NICKELED BRASS**

Porcelain, nickel-plated brass Order no. 100078



**PORCELAIN CANOPY BLACK, CORD GRIP
CHROMED BRASS**

Porcelain, chromed brass Order no. 100079



**PORCELAIN CANOPY BLACK, CORD GRIP
NICKELED BRASS**

Porcelain, nickel-plated brass Order no. 100080



METAL CANOPY

Metal canopy with strain relief and ceiling suspension bracket 16 cm. 6 cm Ø. Weight 60 g. Made in Germany.

Metal canopy black Order no. 100085
Metal canopy white Order no. 100086

TEXTILE CABLE WITH CARRYING ELEMENT

Three-wire textile-covered cable (cable cross section 3 x 0.75 mm²); complete with carrying element, allowing for acceptance of fittings of up to 15 kg without strain relief. Cables are not suitable for multiple sockets. Length 5 m. Made in Germany.



Red Order no. 100709
White Order no. 187107
Brown Order no. 187109
Black/White Order no. 187110
Black Order no. 187108



Outside lights:


For lighting pathways, houses and gardens.

The simple and robust, round aluminium light with half shade features a weather-resistant, cast aluminium body and an insert made of sandblasted safety glass.



FLAT LIGHT ALUMINIUM NATURAL WITH HALF SHADE

Aluminium light with half shade with stainless steel hexagon socket screws. 14 cm Ø, projection 7 cm. Weight 850 g. Plug-in base GX53 (max. 6 W). IP 65. Hexagon socket screw key is included. Order no. 100630



WALL LIGHT BRASS WITH LATTICE

Brass light with screwed cover (with brass screws). Width 12 cm, height 12 cm, projection 4.5 cm. Weight 800 g. Plug-in base G 9 (max. 25 W). IP 54. Order no. 100628

WALL LIGHT ALUMINIUM NATURAL WITH LATTICE

(Without picture) Aluminium light with screwed cover (with stainless steel screws). Width 12 cm, height 12 cm, projection 4.5 cm. Weight 300 g. Plug-in base G 9 (max. 25 W). IP 54. Order no. 100629



WALL LIGHT ALUMINIUM NATURAL

Aluminium light with screwed cover (with stainless steel screws). Width 12 cm, height 12 cm, projection 4.5 cm. Weight 360 g. Plug-in base G 9 (max. 25 W). IP 54. Order no. 100627

WALL LIGHT BRASS

(Without picture) Brass light with screwed cover (with brass screws). Width 12 cm, height 12 cm, projection 4.5 cm. Weight 750 g. Plug-in base G 9 (max. 25 W). IP 54. Order no. 100626



BLOCK LIGHT ALUMINIUM GRAPHITE GRAY

Aluminium light out of one block, graphite grey powder-coated with stainless steel hexagon socket screws. Width 16 cm, height 8.4 cm, projection 6 cm. Weight 650 g. Plug-in base G 9 (max. 40 W). IP 54. Hexagon socket screw key is included. Order no. 100631



BLOCK LIGHT ALUMINIUM NATURAL

Aluminium light out of one block with stainless steel hexagon socket screws. Width 16 cm, height 8.4 cm, projection 6 cm. Weight 650 g. Plug-in base G 9 (max. 40 W). IP 54. Hexagon socket screw key is included. Order no. 100632



Shallow outdoor lights

These outdoor lights are only 5 cm deep and 14 cm in diameter. The weatherproof casing is brass – or aluminium –, the glass is glazed and 10 cm in diameter. Socket G9 (max. 40 W). IP 65.

SHALLOW ALUMINIUM LIGHT

Weight 420 g. Order no. 171645

SHALLOW BRASS LIGHT

Weight 990 g. Order no. 171646



Screen lights made of cast aluminium.


The following applies for the next two lights: made of cast aluminium, inset made of calendared glass. They are intended for surface mounting. Hexagon socket screw key is included. Socket E 27 (max. 60 W). IP 45.

CAST ALUMINIUM SCREEN LIGHT SMALL

Width 11 cm. Length 20 cm. Depth 12 cm. Weight 900 g. Order no. 165250

CAST ALUMINIUM SCREEN LIGHT ROUND

Diameter 21 cm. Depth 9.5 cm. Weight 1.1 kg. Order no. 165252





SMALL BRASS CELLAR LIGHT

Glass shade, height 10.5 cm, length 20 cm, width 13 cm. Socket E 27 (max. 60 W). IP 54. Weight 1.3 kg. Order no. 130748

LARGE BRASS CELLAR LIGHT

Glass shade, height 11 cm, length 23 cm, width 16 cm. Socket E 27 (max. 60 W). IP 54. Weight 1.75 kg. Order no. 130749



From Italy.

Brass lights for cellar and basement.

These heavy brass lights are made to brighten ship's quarters and other damp rooms. We recommend them for use in cellars and basements.



Just for us. Strong, galvanized outside lights.

We developed these lights based on a discovery which we liked because of its shape and clear lines. We suspect that these lights do not originate from industrial production. These lights were first created in the 1920's. Given their long-term outside use, we had the replicas created with particularly high quality materials and workmanship. (This replica certainly has the quality to serve as a "discovery" itself and may be the basis of a remake). The individual components are produced using traditional hand-crafting techniques by a smith in Saxony. Bending the square pipe without changing its profile is a difficult task. In order to do this, the pipes are first filled with sand, then annealed and bent into the desired shape once they have reached their maximum temperature. The individual pieces are soldered together, which results in a clean, stable and longlasting metal compound. The selection of materials as well as their galvanisation and subsequent varnishing guarantee a long lifespan for these outside lights.



LARGE OUTSIDE LIGHTS

The lamp shade is made of 1 mm thick, pressed sheet copper; 28 cm Ø. Light arm and wall mounting parts (33 x 7 cm) are made of polished matte-black steel. Throat depth 63.5 cm, height 33 cm. Glass dome. Thermoplastic socket E 27 (max. 60 W). IP 54. Weight 3 kg.

Order no. 171800



SMALL OUTSIDE LIGHTS

Smaller in size ideal for the outside wall of a detached house rather than on the side of a barn. Less material but the same amount of production work. Lamp shade 21.5 cm Ø. Wall mount (21 x 4 cm). Throat depth 40 cm, height 33.5 cm. Glass dome. Thermoplastic socket E 27 (max. 60 W). IP 54. Weight 1.75 kg.

Order no. 171801



**Look at your garden in a completely new light.
Swedish exterior lighting made from brass and steel.**

Too often, even at the better end of the market, when it comes to exterior lighting, it all looks too similar, even a bit boring, one might say – that is – up until now. Here’s a brighter, livelier alternative for stand or wall lights, each of which offers a variety of different possible component combinations. The lights come from Sweden and their nautical past is plain for all to see.

The bollard is made from cold drawn steel tubing and the wall arm is cast from brass. Hard to beat when it comes to looks and technology. Both bollard and wall arm can be combined with the fittings listed below to produce a variety of different, endless combinations: in brass or chrome-plated brass, with or without a shade and, with the wall lights, they can be hanging or upright. The endless possibilities are bounded only by your own imagination.



Plain brass arm wall light with light fitting.



Plain brass arm wall light with light fitting with shade.



Chrome-plated brass arm wall light with light fitting and shade.



Chrome-plated brass wall/base plate with light fitting with shade.



Plain brass wall/base plate with light fitting.



Bollard 44 cm with chrome-plated brass lighting insert and light fitting.

Bollard 90 cm with plain brass lighting insert and light fitting with shade.



BRASS ARM WALL LIGHT

For use as a wall light. Wall arm is made from cast brass (plain or chrome-plated) with inner thread for the light fitting to screw into. Suitable as an upright and, when turned 180°, as a hanging light fitting.



Height 4.5 cm, width 13.5 cm, depth 17 cm, weight 1.7 kg. Porcelain socket E 27 (max. 75 W). IP 55. Bulb not included.

Plain brass Order no. **181649**
Chrome-plated brass Order no. **181650**



BRASS WALL/BASE PLATE

For wall or floor mounted lights. Cast brass plate (plain brass or chrome-plated brass) with female thread. Diameter 11.5 cm, height 6.5 cm, weight 2 kg. Porcelain socket E 27 (max. 75 W). IP 55.



Plain brass Order no. **100023**
Chrome-plated brass Order no. **100024**

BOLLARD LIGHT

For use as a free-standing stand light. This bollard is available in three heights: 90 cm (3 ft), 60 cm (2 ft) and 44 cm (1.5 ft). It is made of galvanized drawn steel and powder coated black. Base plate comes with four pre-bored holes to enable affixing the bollard to solid ground. The electrical cable (not included in delivery) goes in through the bottom of the bollard.


Bollard 7, 5 cm Ø, Base plate 16 cm Ø, Porcelain socket E 27 (max. 75 W).

Together with lighting insert and light fitting IP 55. Bulb not included.

Bollard 44 cm Order no. **100027**

Bollard 60 cm Order no. **100026**

Bollard 90 cm Order no. **100025**



BRASS LIGHTING INSERT

Cast brass insert for a bollard with female thread for light fittings. Lighting insert 11.5 cm Ø, weight 0.9 kg. Porcelain socket E 27 (max. 75 W).



Plain brass Order no. **100021**
Chrome-plated brass Order no. **100022**



BRASS LIGHT FITTING

Fitting for the bollard or the wall arm (can be used in the wall arm version as upright or as hanging light fitting). Lattice cage (with threading) made from brass.



Polycarbonate dome. Height 16 cm. 11 cm Ø. Weight 600 g.
Plain brass Order no. **181645**
Chrome-plated brass Order no. **181646**



BRASS SHADE

Brass lamp shade for the hanging brass light fitting. (Not suitable for the upright version.) Height 6 cm, 20 cm Ø. Weight 230 g.



Plain brass Order no. **181653**
Chrome-plated brass Order no. **181654**



BRASS LIGHT FITTING WITH SHADE

Fitting with fixed shade for the bollard or the wall arm (in the upright version). Lattice cage (with threading) and shade made from brass, light emits from both under



and above the shade. Polycarbonate dome. Height 16 cm. Shade 20 cm Ø. Weight 850 g.
Plain brass Order no. **181647**
Chrome-plated brass Order no. **181648**

Screen lights.

These lights are intended for wall installation. The domes beneath the brass ring are made of polycarbonate and are sealed with a rubber ring.



BRASS SCREEN LIGHT IP 55 OVAL

The base plate carrying the socket is closed off by a brass ring fastened with two wing bolts. Width 10.3 cm, height 18.8 cm, projection 9.5 cm, weight 0.9 kg. Plastic socket E 14 (max. 40 W). IP 55.

Plain brass

Order no. 100019

Chrome-plated brass

Order no. 100020



BRASS SCREEN LIGHT IP 55

The light's weight conveys the quality of workmanship. The light's body consists of a solid 5 mm thick base plate and an equally solid screw-on cast brass ring. Its surface has the typically raw texture of cast metal, radiating a special charm when the lamp is lit. Generous use of material ensures a long life-cycle. Its sturdiness makes it resistant to vandalism, as well as weatherproof and maintenance-free. The base plate containing the socket is closed off by a brass ring fastened with three socket screws. Six more of these screws affix the screen to the ring.

Diameter 24.5 cm, projection 14 cm, weight 5.2 kg. Plastic socket E 27 (max. 75 W). IP 55.

Plain brass

Order no. 100013



BRASS SCREEN LIGHT IP 55 SMALL

A smaller version of the screen light IP 55. The base plate carrying the socket is closed off by a brass ring fastened with three wing bolts.

Diameter 17.6 cm, projection 14 cm, weight 1.5 kg. Plastic socket E 14 (max. 40 W). IP 55.

Plain brass

Order no. 100016

Chrome-plated brass

Order no. 100017



BRASS SCREEN LIGHT IP 23

This light is a scaled down version of the screen light IP 55. It differs in the material used and in its IP rating. It has a 2 mm thick base plate. The brass ring closing off the base plate is fastened with three wing bolts. Another six wing bolts affix the screen to the ring.

Diameter 24.5 cm, projection 11.5 cm, weight 3.3 kg. Plastic socket E 27 (max. 75 W). IP 23.

Plain brass

Order no. 100014

Chrome-plated brass

Order no. 100015



Thomas Hoof Produktgesellschaft mbH & Co. KG
Zeche Waltrop · Hiberniastr. 6 · D-45731 Waltrop · Tel. +49 (0) 2309 / 951-100 · Fax +49 (0) 2309 / 951-150
info@produktgesellschaft.de · www.produktgesellschaft.de